

# **SAFETY DATA SHEET**

Creation Date 15-Jan-2015 Revision Date 14-Mar-2018 Revision Number 1

## 1. Identification

Product Name Di-n-butylamine

Cat No. : A11671

CAS-No 111-92-2

Synonyms N-Butyl-1-butanamine

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use

## Details of the supplier of the safety data sheet

## Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

## **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Category 3

Acute dermal toxicity

Category 3

Acute Inhalation Toxicity - Dusts and Mists

Category 2

Skin Corrosion/irritation

Category 1

Serious Eye Damage/Eye Irritation

Category 1

## Label Elements

#### Signal Word

Danger

## **Hazard Statements**

Flammable liquid and vapor

Toxic if swallowed

Toxic in contact with skin Fatal if inhaled

Causes severe skin burns and eye damage



#### **Precautionary Statements**

## Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

## Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## Ingestion

Rinse mouth

Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Lachrymator (substance which increases the flow of tears)

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Di-n-butylamine	111-92-2	99

4. First-aid measures
-----------------------

Revision Date 14-Mar-2018 Di-n-butylamine

**Eve Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if Inhalation

victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms and

effects

Breathing difficulties. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Treat symptomatically **Notes to Physician** 

# 5. Fire-fighting measures

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed Suitable Extinguishing Media

containers exposed to fire with water spray.

**Unsuitable Extinguishing Media** No information available

39 °C / 102.2 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 260 °C / 500 °F

**Explosion Limits** 

Upper 6.8 vol % Lower 0.6 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Flammable. Very toxic by inhalation. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

## **Hazardous Combustion Products**

Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2)

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	2	0	N/A

## Accidental release measures

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe **Personal Precautions** 

areas. Remove all sources of ignition. Take precautionary measures against static

discharges. Do not get in eyes, on skin, or on clothing.

**Environmental Precautions** Avoid release to the environment. See Section 12 for additional ecological information. Do

not flush into surface water or sanitary sewer system.

Up

Methods for Containment and Clean Wear self-contained breathing apparatus and protective suit. Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use

Revision Date 14-Mar-2018 Di-n-butylamine

spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

Handling

Use only under a chemical fume hood. Wear personal protective equipment. Use spark-proof tools and explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest. Use only non-sparking tools.

**Storage** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Use only under a chemical fume hood. Use explosion-proof **Engineering Measures** 

> electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined

areas.

## **Personal Protective Equipment**

Wear appropriate protective eveglasses or chemical safety googles as described by **Eye/face Protection** 

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## Physical and chemical properties

**Physical State** Liquid

**Appearance** No information available

Odor rotten-egg like

No information available **Odor Threshold** 

рH 11.1

Melting Point/Range -62 °C / -79.6 °F

159 °C / 318.2 °F @ 760 mmHg **Boiling Point/Range** 

39 °C / 102.2 °F Flash Point **Evaporation Rate** No information available

Flammability (solid, gas) Not applicable

Flammability or explosive limits

Upper 6.8 vol % Lower 0.6 vol %

2.3 mbar @ 20 °C **Vapor Pressure** 

**Vapor Density** 4.5 **Specific Gravity** 0.760

4.05 g/L (25°C) Solubility Partition coefficient; n-octanol/water No data available 260 °C / 500 °F **Autoignition Temperature** No information available **Decomposition Temperature** 

Revision Date 14-Mar-2018 Di-n-butylamine

Viscosity 0.9 mPa s at 20 °C

C8 H19 N **Molecular Formula Molecular Weight** 129.24

## 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions.

**Conditions to Avoid** Temperatures above 40°C. Incompatible products. Keep away from open flames, hot

surfaces and sources of ignition.

Acids, Strong oxidizing agents, Amines, Chlorine, Acid anhydrides, Acid chlorides, Carbon **Incompatible Materials** 

dioxide (CO2), halogenated agents

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Di-n-butylamine	LD50 = 189 mg/kg (Rat)	LD50 = 768 mg/kg ( Rabbit )	> 2 mg/L (Rat) 1 h		

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Di-n-butylamine	111-92-2	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation

No information available **Endocrine Disruptor Information** 

#### Other Adverse Effects

See actual entry in RTECS for complete information.

# 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Di-n-butylamine	EC50: = 19 mg/L, 96h static	LC50: = 5.5 mg/L, 96h	EC50 = 196 mg/L 17 h	EC50: = 66 mg/L, 48h
	(Pseudokirchneriella	(Oncorhynchus mykiss)	_	(Daphnia magna)
	subcapitata)			
	EC50: = 19 mg/L, 96h			
	(Pseudokirchneriella			
	subcapitata)			
	EC50: = 16.4 mg/L, 72h			
	(Desmodesmus			
	subspicatus)			
	EC50: = 1.16 mg/L, 96h			
	(Desmodesmus			
	subspicatus)			

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Di-n-butylamine	2.06

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN2248

Proper Shipping Name DI-N-BUTYLAMINE

Hazard Class 8
Subsidiary Hazard Class 3
Packing Group ||

TDG

UN-No UN2248

Proper Shipping Name DI-N-BUTYLAMINE

Hazard Class 8
Subsidiary Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN2248

Proper Shipping Name Di-n-BUTYLAMINE

Hazard Class 8
Subsidiary Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN2248

Proper Shipping Name DI-n-BUTYLAMINE

Hazard Class 8
Subsidiary Hazard Class 3
Packing Group ||

# 15. Regulatory information

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Di-n-butylamine	Х	Χ	-	203-921-8	-		Χ	Χ	Χ	Χ	Χ

#### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

## U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Di-n-butylamine	X	X	X	-	X

## **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade No information available

	16. Other information	
Prepared By	Health, Safety and Environmental Department	

Email: tech@alfa.com

www.alfa.com

 Creation Date
 15-Jan-2015

 Revision Date
 14-Mar-2018

 Print Date
 14-Mar-2018

**Revision Summary** SDS authoring systems update, replaces ChemGes SDS No. 111-92-2.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**