17

MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

Product Name: Extreme Duty Silicone Aerosol

Product Number (s): 03030, 73030, 83030

Manufactured By: CRC Industries, Inc.

(215) 674-4300

885 Louis Drive, Warminster, PA 18974

24-Hour Emergency Information: CHEMTREC

(800) 424-9300

Section 2: Composition/Information on Ingredients

Component	CAS	ACGIH	OSHA	OTHER	%
•	NUMBER	TLV	PEL	LIMITS	
Silicone Fluid	68957-05-1	NE	NE	NE	< 10
Hydrocarbon Propellant	68476-86-8	NE	1000 ppm	1000 ppm	15-30
n-Butane	106-97-8	NE	NE	NE	5-10
Isohexane	107-83-5	500 ppm	500 ppm	NE	60-70
n-Hexane	110-54-3	50 ppm	50 ppm	NE	<7

Section 3: Hazards Identification

Emergency Overview

Appearance & Odor: Clear water-white liquid, solvent odor.

Danger: Extremely Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

Potential Health Effects:

Inhalation:

Headaches, nausea, dizziness anesthesia and unconsciousness.

Eyes:

Irritation

Skin:

Irritation

Ingestion:

NA

Carcinogenicity:

OSHA:

No

No

NTP:

No

Chronic Overexposure:

Prolonged overexposure may cause liver and kidney effects

and nervous system damage.

Medical Conditions Aggravated by Exposure:

NA

IARC:

Section 4: First Aid Measures

Inhalation:

Remove to fresh air. Give artificial respiration if necessary.

Eyes:

Flush with large amounts of water for 15 minutes.

Skin:

Remove contaminated clothing and wash area with soap and water.

Ingestion:

Call a physician. Do not induce vomiting.

Product Name: Extreme Duty Silicone Aerosol

Product Number (s): 03030, 73030

Section 5: Fire-Fighting Measures

Flashpoint:

<20°F

1

1

Method:

TCC

LEL: ND

UEL: ND

Extinguishing Media:

CO2, dry chemical, foam

Hazardous Combustion Products:

CO2 and carbon monoxide

Fire-fighting Instructions:

Remove containers from fire area if possible. Use self-contained

breathing apparatus for fire fighting. Aerosol cans may explode if heated

above 120°F.

Flammability:

NFPA: HMIS:

Health: Health:

Flammability:

Reactivity:

Reactivity:

PPE: B

Section 6: Accidental Release Measures

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

Section 9: Physical & Chemical Properties

Physical State:

Liquid

Appearance & Odor:

Clear water-white liquid,

solvent odor

Specific Gravity:

0.6699

Boiling Point:

141°F

Freezing Point:

ND

Vapor Pressure:

ND

Evaporation Rate:

Fast

Vapor Density (air = 1)

> air

NA

Solubility:

Negligible in water

Volatile Organic Compounds %:

g/L: 603

lbs./gal:

5.03

Section 10: Stability and Reactivity

Stability:

pH:

Stable

Hazardous Polymerization: No

Chemical Incompatibilities: Materials to Avoid:

Strong oxidizers. Strong oxidizers.

Hazardous Decomposition Products:

None

Product Name: Extreme Duty Silicone Aerosol

Product Number (s): 03030, 73030

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

Section 12: Ecological Information

Ecotoxicity:

No data available.

Environmental Fate:

No data available for biodegradation.

Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

Section 14: Transportation Information

Shipping Name:

Consumer Commodity

Hazard Class:

ORM-D

UN Number: NA

Packing Group:

NA

Label:

NA

Placard:

NA

Special Provisions:

NA

Section 15: Regulatory Information

TSCA:

All components are either listed under TSCA or are exempt.

SARA Title III:

Section 311/312:

Acute, Pressure

Section 313*: n-Hexane

CERCLA/Superfund (RQ):

NA

Extremely Hazardous Substances:

No

California Prop 65:

No

* See section 2 for percentage

Section 16: Additional Information

Prepared By:

Adam M. Selisker

Date:

November 27, 2002

Technical Information:

(800) 521-3168

CRC#:

517A

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:

Chemical Abstract Service

NA:

Not Applicable

ppm: TCC: Parts per Million Tag Closed Cup

ND: NE:

Not Determined Not Established

LEL: UEL: PPE:

Lower Explosive Limit Upper Explosive Limit

g/L: lbs./gal: grams per Liter pounds per gallon

COC:

Personal Protection Equipment Cleveland Closed Cup

RQ:

Reportable Quantity