P/N 34528-D



AMOKON OIL NO. 68

MANUFACTURER: Amoco Oil Company 200 East Randolph Drive Chicago, Illinois 60601 EMERGENCY HEALTH INFORMATION: (800) 447-8735 EMERGENCY SPILL INFORMATION: (800) 424-9300 OTHER PRODUCT SAFETY INFORMATION: (312) 856-3907

IMPORTANT COMPONENTS: Hydrofinished, solvent refined paraffinic white mineral oil. CAS #8042-47-5.

WARNING STATEMENT: None required.

APPEARANCE AND ODOR: Pale colored, clear only liquid.

HEALTH HAZARD INFORMATION

EYE

EFFECT:

No significant irritation expected.

FIRST AID:

AID: Flush eyes with plenty of water.

PROTECTION:

None required; however, use of safety glasses is good industrial practice.

SKIN

EFFECT:

None expected for single short-term exposures.

FIRST AID: PROTECTION:

None required.

INHALATION

EFFECT:

None expected under normal conditions of use.

FIRST AID:

None required.

PROTECTION: None requ

None required for normal conditions of use.

INGESTION

EFFECT:

Expected to be relatively non-toxic.

FIRST AID: If a 1

If a large amount is swallowed, induce vomitions

ROM

AMOKON OIL NO. 68		
	PAGE 02 OF 03	
	REACTIVITY INFORMATION	
STABILITY: Stable.		ŧ
	CHEMICAL AND PHYSICAL PROPERTIES	
SOLUBILITY IN WATER: Ne	gligible, below 0.1%	
SPECIFIC GRAVITY (WATER	= 1): 0.86	
VISCOSITY: 300-320 SUS	@ 100°F.	
POUR POINT: 0°F maximum	•	
	STORAGE AND ENVIRONMENTAL PROTECTION	
STORAGE REQUIREMENTS: N	o special requirements.	
SPILLS AND LEAKS: Treat	as an oil spill. Contain and remove by	mechanical means.
WASTE DISPOSAL: Enclose otherwi	d-controlled incineration is recommended se by applicable ordinances.	d unless directed
SPECIAL PRECAUTIONS: AV	oid strong oxidizers.	
	TOXICOLOGICAL INFORMATION	
EYE: Maximum irritation	score of a similar product 2.0/110.0 (rabbits).
SKIN: Primary irritation LD50 of a similar	on score of a similar product 0.5/8.0 (reproduct greater than 2 g/kg (rabbits).	abbits). Acute dermal
INGESTION: Acute oral (D50 of a similar product greater than 5	g/kg (rats).
	REGULATORY INFORMATION	
OSHA HAZARD COMMUNICATIO	ON STANDARD: Not hazardous per 29 CFR 1	910.1200(d).
DOT PROPER SHIPPING NAM		

ISSUE INFORMATION

BY:

Short Sthat

Stephen A. Elbert Mgr., Product Safety & Toxicology

TURESITAN

EFFECT: Expected to be relatively non-toxic.

FIRST AID: If a large amount is swallowed, induce vomiting. Get medical attention.

FIRE AND EXPLOSION INFORMATION _

FLASHPOINT: 400°F, (COC) Minimum

EXTINGUISHING MEDIA: Agents approved for Class B hazards (e.g., dry chemical, carbon dioxide, halogenated agents, foam, steam) and water fog.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.