
## U.S. DEPARTMENT OF LABOR

Occupational Safety and Health Administration

## MATERIAL SAFETY DATA SHEET....



(C)

SEC	TION	Date of Issue: 3/12/	87
MANUFACTURER'S NAME Rochester Midland		EMERGENCY TELEPHONE NO. 716-266-2283	
ADDRESS (Number, Street, City, State, and ZIP Code) 333 Hol	lenbeck St	treet, Rochester, NY 14621	
CHEMICAL NAME AND SYNONYMS None		TRADE NAME AND SYNONYMS Formula 260	
CHEMICAL FAMILY Alkaline Cleaner	FORMULA		

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Whits)	ALLOYS AND METALLIC COATINGS	*	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
VEHICLE NOT APPLICABLE			METALLIC COATINGS NOT APPLICABLE		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES	QF (	OTHER LIC	QUIDS, SOLIDS, OR GASES	*	TLV (Units)
Sodium metasilicate (6834	<b>-92</b>	(-0)	- irritant as mist or dust in air	<b>&lt;</b> 10	NA

SECTION III - PHYSICAL DATA			
BOILING POINT (°F.)	212	SPECIFIC GRAVITY (H2O=1)	1.04
VAPOR PRESSURE (mm Hg.)	as water	PERCENT, VOLATILE BY VOLUME (%)	92
VAPOR DENSITY (AIR=1)	as water	EVAPORATION RATE (	1
SOLUBILITY IN WATER	complete	pH (typical)	13

FLASH POINT (Method used) None	FL	AMMABLE LIMITS	NA NA	NA NA	
None		None	IVA	NA	
EXTINGUISHING MEDIA A's for st	rounding fire				
SPECIAL FIRE FIGHTING PROCEDURES	No fire hazard				
UNUSUAL FIRE AND EXPLOSION HAZARDS	None				

SECTION V - HEALT	H HAZARD DATA
THRESHOLD LIMIT VALUE None established	Chronic effects: none known.
EFFECTS OF OVEREXPOSURE /routes of entry Eye irritant and possible skin irritant upon	prolonged or repeated exposure. Inhalation
of spray mists may be irritating to nose and	throat.
Eye and skin: flush with water for 15 minute	s. Inhalation: remove to fresh air.
Ingestion: drink several glasses of water.	
or if irritation persists.	
Medical conditions aggravated by exposure: r	respiratory (inhalation).

			SECTIO	ON VI - R	EACTIVITY DATA	
STABILITY	UNS	NSTABLE		CONDITIONS TO AVOID		
	STA	BLE	X	None		
INCOMPATABIL	iTY (Mater	rials to avoid)	Do not	mix with	acids	
HAZARDOUS D	ECOMPOSI	TION PROD	UCTS	None		
HAZARDOUS		MAY OCC	JR	T	CONDITIONS TO AVOID	
POLYMERIZAT	ON	WILL NOT	OCCUR	Х	None	

## SECTION VII - SPILL OR LEAK PROCEDURES STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Small spills: flush down drain with water. Large spills: dike to contain, reclaim all possible. Absorb with inert materials and place in suitable containers. Flush residue down drain. WASTE DISPOSAL METHOD Trained and properly equipped personnel may dilute and neutralize waste very carefully with dilute acid in accordance with Federal, State and local regulations.

	SECTION VIII - SPECIAL	PROTECTION	N INFORMATION
of particu	NOTECTION (Specify type) Not norma	lly <sub>t</sub> reguir	edritation use restration.
VENTILATION	As needed, if spray mist pr	esent	SPECIAL NA
,	MECHANICAL (General) NA		OTHER NA
PROTECTIVE GLO	Rubber or plastic	EYE PROTEC	Goggles
OTHER PROTECT	As needed to prev	ent prolonge	ed or repeated skin contact.

PRECAUTIONS TO BE TAI	KEN IN HANDLING AND STORING Keep from freezing.	
	roop from freezing.	
OTHER PRECAUTIONS	Read and follow label directions.	Keep out of reach of children

This information was compiled from current, reliable sources and is believed to be correct. As data and/or regulations change, and conditions of use and handling are beyond our control, no warranty, expressed or implied, is made as to completeness or continuing accuracy of this information.

061182C