

HAZARDOUS POLYMERIZATION: Will not occur.

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Potential respiratory tract irritant.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Potential skin irritant, may dry out skin. Sensitive individuals should use a barrier lotion and avoid prolonged skin contact. Eye contact may be abrasive.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

N/A

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Do not induce vomiting. Remove person to fresh air. Contact physician.

HEALTH HAZARDS (ACUTE AND CHRONIC)

Nuisance dust, avoid prolonged exposure.

CARCINOGENICITY: NTP CARCINOGEN: N/A IARC MONOGRAPHS: N/A OSHA REGULATED: N/A

N/A

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Respiratory tract infections, breathing disorders and other respiratory ailments.

EMERGENCY AND FIRST AID PROCEDURES

Flush powder with water, contact a physician.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Wear appropriate protective clothing and respirator to prevent overexposure. Sweep up material taking care not to generate airborne dust. Collect into closable containers for proper disposal. Prevent runoff to storm sewers and ditches leading to natural waterways.

WASTE DISPOSAL METHOD

Dispose in accordance with local, state, and federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Protect containers from physical damage. Store in a cool, dry area out of direct sunlight. Avoid eye and prolonged skin contact. Avoid breathing dusts during application. Wash thoroughly after handling.

OTHER PRECAUTIONS

N/A

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

Use NIOSH approved respirator with dust/mist cartridges if needed. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene practice.

VENTILATION

Provide adequate general or local exhaust ventilation in volume and pattern to remove decomposition products during baking, welding or flame cutting of parts coated with this product.

M A T E R I A L S A F E T Y D A T A S H E E T

Page: 3

PROTECTIVE GLOVES

Required for prolonged or repeated contact.

EYE PROTECTION

Safety goggles are recommended to prevent dusts from entering eye.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

N/A

WORK/HYGIENIC PRACTICES

Maintain a clean dust free work environment.

===== SECTION IX - DISCLAIMER =====

The above information pertains to this product as currently formulated, and is based on the information available at this time. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with the use of this product.