

MATERIAL SAFETY DATA SHEET

Sales Order: (Sales

INTERZINC 22 GREEN

MSDS Revision No: M9 -5
MSDS Revision Date: 08/09/2002



International Paint Inc.

6001 Antoine Drive

Houston, Texas 77091

EMERGENCY NUMBERS:

(800) 424-9300 CHEMTREC (USA)
(703) 527-3887 CHEMTREC (Intl)
(800) 854-6813 Poison Control Ce

CUSTOMER SERVICE:

(Non-Emergency)
(800) 589-1267 International Paint
(800) 631-7481 Interlux

1. GENERAL INFORMATION

Product Identity: INTERZINC 22 GREEN

Bulk Sales Reference No: QHA028

IMPORTANT: Read this MSDS before handling or disposing of this product, and provide this information to the employee, customers, and users of this product. PLEASE NOTE THE MSDS REVISION NUMBER AT THE TOP OF THIS PAGE. If the MSDS Revision Number posted at the top of this page does not match the MSDS Revision Number on the product label, please contact Customer Service at the phone number included above for the correct MSDS. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard.

2. HAZARDOUS INGREDIENT INFORMATION

CAS No.	Ingredient Name & %	Source	Exposure Data
000064-17-5	Ethyl alcohol 0.10 - 1.0% by Weight	OSHA:	1000 ppm TWA; 1900 mg/m3 TWA
		ACGIH:	1000 ppm TWA
		NIOSH:	1000 ppm TWA; 1900 mg/m3 TWA3300 ppm IDLH
		Supplier:	No Data Available
		OHSA, CAN:	1000 ppm TWA EV; 1900 mg/m3 TWA EV
		Mexico:	1000 ppm TWA; 1900 mg/m3 TWA
		Brazil:	780 ppm; 1480 mg/m3; minimal degree of harm
		Source	Health Data
		NIOSH:	Eye respiratory
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
---------	---------------------	--------	---------------

00067-63-0

Isopropyl alcohol
10 - 25% by Weight

OSHA:	400 ppm TWA; 980 mg/m3 TWA500 ppm STEL; 1225 mg/m3 STEL
ACGIH:	400 ppm TWA500 ppm STEL
NIOSH:	400 ppm TWA; 980 mg/m3 TWA500 ppm STEL; 1225 mg/m3 STEL2000 ppm IDLH
Supplier:	No Data Available
OHSA, CAN:	400 ppm TWAEV; 980 mg/m3 TWAEV500 ppm STEV; 1225 mg/m3 STEV
Mexico:	400 ppm TWA; 980 mg/m3 TWA500 ppm STEL; 1225 mg/m3 STEL
Brazil:	310 ppm; 765 mg/m3; skin absorber; medium degree of harm
Source	Health Data
NIOSH:	Mucous membrane irritation; possible carcinogenic effects
Source	Carcinogen Data
OSHA:	Select Carcinogen: No
NTP:	Known Carcinogen: No; Suspected Carcinogen: No
IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: Yes; Group 4: No

CAS No.

Ingredient Name & %

Source

Exposure Data

000078-10-4

Ethyl silicate
1.0 - 10% by Weight

OSHA:	100 ppm TWA; 850 mg/m3 TWA
ACGIH:	10 ppm TWA
NIOSH:	10 ppm TWA; 85 mg/m3 TWA700 ppm IDLH
Supplier:	No Data Available
OHSA, CAN:	10 ppm TWAEV; 85 mg/m3 TWAEV
Mexico:	10 ppm TWA; 85 mg/m3 TWA30 ppm STEL; 255 mg/m3 STEL
Brazil:	No Data Available
Source	Health Data
NIOSH:	Eye and nose irritation; lung liver
Source	Carcinogen Data
OSHA:	Select Carcinogen: No
NTP:	Known Carcinogen: No; Suspected Carcinogen: No
IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.

Ingredient Name & %

Source

Exposure Data

000100-41-4

Ethyl benzene
0.10 - 1.0% by Weight

OSHA:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL
ACGIH:	100 ppm TWA125 ppm STEL
NIOSH:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL800 ppm IDLH
Supplier:	No Data Available
OHSA, CAN:	100 ppm TWAEV; 435 mg/m3 TWAEV125 ppm STEV; 540 mg/m3 STEV
Mexico:	100 ppm TWA; 435 mg/m3 TWA125 ppm STEL; 545 mg/m3 STEL
Brazil:	78 ppm; 340 mg/m3; medium degree of harm
Source	Health Data
NIOSH:	Eye skin
Source	Carcinogen Data

OSHA: Select Carcinogen: No
 NTP: Known Carcinogen: No; Suspected Carcinogen: No
 Group 1: No; Group 2A: No;
 IARC: Group 2b: Yes; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
000107-98-2	Propylene glycol monomethyl ether 10 - 25% by Weight	OSHA:	150 ppm STEL; 540 mg/m3 STEL
		ACGIH:	100 ppm TWA 150 ppm STEL
		NIOSH:	100 ppm TWA; 360 mg/m3 TWA 150 ppm STEL; 540 mg/m3 STEL
		Supplier:	May cause birth defects
		OHS, CAN:	100 ppm TWAEV; 365 mg/m3 TWAEV 150 ppm STEV; 550 mg/m3 STEV
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	Health Data
		NIOSH:	Eye nose
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No;
			Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
000112-34-5	Diethylene glycol monobutyl ether 1.0 - 10% by Weight	OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHS, CAN:	No Data Available
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	Health Data
		NIOSH:	No Data Available
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No;
			Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
---------	---------------------	--------	---------------

001330-20-7

Xylenes (o-, m-, p- isomers)
1.0 - 10% by Weight

OSHA: 100 ppm TWA; 435 mg/m3 TWA150 ppm STEL; 655 mg/m3 STEL

ACGIH: 100 ppm TWA150 ppm STEL

NIOSH: 100 ppm TWA; 435 mg/m3 TWA900 ppm IDLH

Supplier: No Data Available

OHSA, CAN: 100 ppm TWAEV; 435 mg/m3 TWAEV150 ppm STEV; 650 mg/m3 STEV

Mexico: 100 ppm TWA; 435 mg/m3 TWA150 ppm STEL; 655 mg/m3 STEL

Brazil: 78 ppm; 340 mg/m3; skin absorber; medium degree of harm

Source **Health Data**

NIOSH: Central nervous system depressant; respiratory and eye irritation

Source **Carcinogen Data**

OSHA: Select Carcinogen: No

NTP: Known Carcinogen: No; Suspected Carcinogen: No

IARC: Group 1: No; Group 2A: No;

Group 2b: No; Group 3: Yes; Group 4: No

CAS No.

Ingredient Name & %

Source

Exposure Data

001589-47-5

2-Methoxy-1-propanol
0.10 - 1.0% by Weight

OSHA: No Data Available

ACGIH: No Data Available

NIOSH: No Data Available

Supplier: No Data Available

OHSA, CAN: No Data Available

Mexico: No Data Available

Brazil: No Data Available

Source **Health Data**

NIOSH: No Data Available

Source **Carcinogen Data**

OSHA: Select Carcinogen: No

NTP: Known Carcinogen: No; Suspected Carcinogen: No

IARC: Group 1: No; Group 2A: No;

Group 2b: No; Group 3: No; Group 4: No

CAS No.

Ingredient Name & %

Source

Exposure Data

009004-57-3

Cellulose, ethyl ether
1.0 - 10% by Weight

OSHA: No Data Available

ACGIH: No Data Available

NIOSH: No Data Available

Supplier: No Data Available

OHSA, CAN: No Data Available

Mexico: No Data Available

Brazil: No Data Available

Source **Health Data**

NIOSH: No Data Available

Source **Carcinogen Data**

OSHA: Select Carcinogen: No
 NTP: Known Carcinogen: No; Suspected Carcinogen: No
 Group 1: No; Group 2A: No;
 IARC: Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
014464-46-1	Silica, cristobalite 1.0 - 10% by Weight	OSHA:	see Table Z-3
		ACGIH:	0.05 mg/m3 TWA (respirable fraction)
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN:	0.05 mg/m3 TWAEV
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	Health Data
		NIOSH:	Chronic lung disease (silicosis)
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: Yes
		NTP:	Known Carcinogen: Yes; Suspected Carcinogen: Yes
		IARC:	Group 1: Yes; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
014808-60-7	Quartz 10 - 25% by Weight	OSHA:	see Table Z-3
		ACGIH:	0.05 mg/m3 TWA (respirable fraction)
		NIOSH:	0.05 mg/m3 TWA (respirable dust)25 mg/m3 IDLH (cristobalite, tridymite); 50 mg/m3 IDLH (quartz, tripoli)
		Supplier:	No Data Available
		OHSA, CAN:	0.1 mg/m3 TWAEV
		Mexico:	10 mg/m3 TWA
		Brazil:	No Data Available
		Source	Health Data
		NIOSH:	Chronic lung disease (silicosis)
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: Yes
		NTP:	Known Carcinogen: Yes; Suspected Carcinogen: Yes
		IARC:	Group 1: Yes; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
---------	---------------------	--------	---------------

068855-54-9

Kieselguhr, soda ash flux-calcined
1.0 - 10% by Weight

OSHA: No Data Available

ACGIH: No Data Available

NIOSH: No Data Available

Supplier: No Data Available

OHSA, CAN: 4 mg/m3 TWAEV (total dust)

Mexico: No Data Available

Brazil: No Data Available

Source **Health Data**

NIOSH: No Data Available

Source **Carcinogen Data**

OSHA: Select Carcinogen: No

NTP: Known Carcinogen: No; Suspected Carcinogen: No

IARC: Group 1: No; Group 2A: No;
Group 2b: No; Group 3: No; Group 4: No

CAS No.

Ingredient Name & %

Source

Exposure Data

068911-87-5

Quaternary ammonium compounds,
bis(hydrogenated tallow alkyl)
dimethyl, salts with montmorillonite
(All.33-1.67Mg0.33-0.
1.0 - 10% by Weight

OSHA: No Data Available

ACGIH: No Data Available

NIOSH: No Data Available

Supplier: No Data Available

OHSA, CAN: No Data Available

Mexico: No Data Available

Brazil: No Data Available

Source **Health Data**

NIOSH: No Data Available

Source **Carcinogen Data**

OSHA: Select Carcinogen: No

NTP: Known Carcinogen: No; Suspected Carcinogen: No

IARC: Group 1: No; Group 2A: No;
Group 2b: No; Group 3: No; Group 4: No

3. HAZARD IDENTIFICATION

Overview:

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or avoid contact with eyes, skin and clothing.

Inhalation:

May be harmful or fatal if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.

Eyes:

Causes severe eye irritation. Do not get in eyes.

Skin:

Causes skin irritation. May be harmful if absorbed through the skin.

Ingestion:

Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.

Chronic Effects:

Contains an ingredient which can cause organ damage (See Section 2 and Section 15 for each ingredient). Birth defect hazard. Contains an ingredient which can cause birth defects (See Section 2 and Section 15 for each ingredient). Cancer hazard. Contains an ingredient which can cause cancer (See Section 2 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.

HMIS Rating:

Health: 2*

Flammability: 3

Reactivity: 0

4. FIRST AID MEASURES

General:	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin:	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion:	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.

5. PROTECTIVE EQUIPMENT AND CONTROL MEASURES

Respiratory:	Select equipment to provide protection from the ingredients listed in Section 2 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.
Eyes:	Do not get in eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin/Hand:	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Engineering Controls:	Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.
Other Work Practices:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

6. FIRE AND EXPLOSION INFORMATION

Flash Point:	F: 57 C: 14
Lower Explosive Limit (LEL):	.85 (%vol in air) at Normal Atmospheric Temp and Pressure
Fire and Explosion Hazards:	Flammable liquid and vapor. FLAMMABLE/COMBUSTIBLE MATERIALS: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks) creating a vapor explosion hazard. Runoff to sewers may create fire or explosion hazard. Containers may explode when heated. CAUTION: This product has a very low flashpoint. Use of water spray when fighting fire may be inefficient.
Fire Fighting Procedures:	SMALL FIRES: Use dry chemical, CO ₂ , water spray or alcohol-resistant foam. LARGE FIRES: Use water spray, fog, or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material. Also Reference Emergency Response Guide Number: 127

7. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
pH:	Not Determined
Specific Gravity:	1.07003

Boiling Point (F):	180
Vapor Density:	Heavier than air
VOC Content (lbs):	Refer to the Technical Data Sheet for this product
Evaporation Rate:	Slower than ether

8. STABILITY AND REACTIVITY DATA

General:	This product is stable and hazardous polymerization will not occur.
Incompatible Materials:	Strong oxidizing agents.
Hazardous Decomposition:	May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and Carbon Monoxide.

9. HANDLING AND STORAGE

Storage Temperature:	Store between 32 and 120 F
Handling and Storage Precautions:	Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation. Do not get in eyes, on skin or clothing. Close container after each use. Wash thoroughly after handling.

10. TOXICOLOGICAL DATA

General:	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. No additional information provided for this product. See Section 2 for chemical specific data.
-----------------	---

11. ECOLOGICAL DATA

General:	No additional information provided for this product. See Section 2 for chemical specific data.
-----------------	--

12. ACCIDENTAL RELEASE MEASURES

Spill Response Procedures:	ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.
Public Safety:	CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet). Also, Reference Emergency Response Guide Number: 127

13. DISPOSAL CONSIDERATION

Waste Disposal:	Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).
------------------------	--

14. TRANSPORTATION INFORMATION

DOT (Domestic Surface Transportation)		IMO / IMDG (Ocean Transportation)	
DOT Proper Shipping Name:		IMDG Proper Shipping Name:	
PAINT		PAINT	
DOT Hazard Class:	3	IMDG Hazard Class:	3.2 - Intermediate flashpoint flammable liquids
UN / NA Number:	UN 1263	UN Number:	UN 1263
DOT Packing Group:	II	IMDG Packing Group:	II
CERCLA/DOT RQ:	215 gal. / 1913 lbs.	System Reference Code:	28

15. REGULATORY INFORMATION

Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.
WHMIS Classification:	B2; D2
Regulatory List	Product Ingredients on List
DOT Marine Pollutants (10%): (No Product Ingredients Listed)	
DOT Severe Marine Pollutants (1%): (No Product Ingredients Listed)	
EPCRA 311/312 Chemicals and RQs:	
000112-34-5	Diethylene glycol monobutyl ether : (Includes mono- and di- ethers of ethylene glycol; diethylene glycol and triethylene glycol R-(OCH ₂ CH ₂) _n -OR" where n = 1 2 or 3; R = alkyl or aryl groups; R" = R h or groups which when removed yield glycol ethers with the structure R-(OCH ₂ CH ₂) _n -OH. Polymers are excluded from glycol category); Statutory RQ = 1 pound (.454 kg); no final RQ is being assigned to the generic or broad class
000100-41-4	Ethyl benzene : final RQ = 1000 pounds (454 kg)
000107-98-2	Propylene glycol monomethyl ether : (Includes mono- and di- ethers of ethylene glycol; diethylene glycol and triethylene glycol R-(OCH ₂ CH ₂) _n -OR" where n = 1 2 or 3; R = alkyl or aryl groups; R" = R h or groups which when removed yield glycol ethers with the structure R-(OCH ₂ CH ₂) _n -OH. Polymers are excluded from glycol category); Statutory RQ = 1 pound (.454 kg); no final RQ is being assigned to the generic or broad class
001330-20-7	Xylenes (o-, m-, p- isomers) : final RQ = 100 pounds (45.4 kg)
EPCRA 302 Extremely Hazardous: (No Product Ingredients Listed)	
EPCRA 313 Toxic Chemicals:	
000112-34-5	Diethylene glycol monobutyl ether
000100-41-4	Ethyl benzene
000067-63-0	Isopropyl alcohol
000107-98-2	Propylene glycol monomethyl ether
001330-20-7	Xylenes (o-, m-, p- isomers)
Mass RTK Substances:	
000078-10-4	Ethyl silicate
000067-63-0	Isopropyl alcohol
000107-98-2	Propylene glycol monomethyl ether
014808-60-7	Quartz
014464-46-1	Silica, cristobalite
001330-20-7	Xylenes (o-, m-, p- isomers)
Mass Extraordinarily Haz Substances:	
007647-01-0	Hydrogen chloride
014808-60-7	Quartz
014464-46-1	Silica, cristobalite
Penn RTK Substances:	
000112-34-5	Diethylene glycol monobutyl ether
000078-10-4	Ethyl silicate
000067-63-0	Isopropyl alcohol
068855-54-9	Kieselguhr, soda ash flux-calcined
000107-98-2	Propylene glycol monomethyl ether
014808-60-7	Quartz

014464-46-1	Silica, cristobalite
001330-20-7	Xylenes (o-, m-, p- isomers)
Penn Special Hazardous Substances:	
000067-63-0	Isopropyl alcohol
Rhode Island Hazardous Substances:	
000064-17-5	Ethyl alcohol
000100-41-4	Ethyl benzene
000078-10-4	Ethyl silicate
000067-63-0	Isopropyl alcohol
000107-98-2	Propylene glycol monomethyl ether
014808-60-7	Quartz
001330-20-7	Xylenes (o-, m-, p- isomers)
RCRA Status:	
(No Product Ingredients Listed)	
N.J. RTK Substances:	
000078-10-4	Ethyl silicate
000067-63-0	Isopropyl alcohol
068855-54-9	Kieselguhr, soda ash flux-calcined
000107-98-2	Propylene glycol monomethyl ether
014808-60-7	Quartz
014464-46-1	Silica, cristobalite
001330-20-7	Xylenes (o-, m-, p- isomers)
N.J. Special Hazardous Substances:	
000064-17-5	Ethyl alcohol
000100-41-4	Ethyl benzene
007647-01-0	Hydrogen chloride
000067-63-0	Isopropyl alcohol
000107-98-2	Propylene glycol monomethyl ether
001330-20-7	Xylenes (o-, m-, p- isomers)
N.J. Env. Hazardous Substances:	
000112-34-5	Diethylene glycol monobutyl ether
000100-41-4	Ethyl benzene
000067-63-0	Isopropyl alcohol
000107-98-2	Propylene glycol monomethyl ether
001330-20-7	Xylenes (o-, m-, p- isomers)
Proposition 65 - Carcinogens:	
007440-02-0	Nickel
014464-46-1	Silica, cristobalite
014808-60-7	Quartz
Proposition 65 - Female Reproductive Toxins:	
(No Product Ingredients Listed)	
Proposition 65 - Male Reproductive Toxins:	
(No Product Ingredients Listed)	
Proposition 65 - Developmental Toxins:	
000064-17-5	Ethyl alcohol

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.