

**Material Safety Data Sheet**  
 May be used to comply with  
 OSHA's Hazard Communication Standard,  
 29 CFR 1910.1200. Standard must be  
 consulted for specific requirements.

**U.S. Department of Labor**  
 Occupational Safety and Health Administration  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072



**IDENTITY (As Used on Label and List)** SHEILA SHINE LIQUID

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

**Section I**

Manufacturer's Name <b>SHEILA SHINE, INC.</b>	Emergency Telephone Number <b>305/893-7774-1-800/525-6115</b>
Address (Number, Street, City, State, and ZIP Code) <b>1201 N. W. First Avenue</b>	Telephone Number for Information <b>305/379-1881</b>
<b>Miami, Florida - 33136</b>	Date Prepared <b>February 1, 1992</b>
	Signature of Preparer (optional)

**Section II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
<b>1-1-1 Trichlorethane - CAS #71-55-6</b>	<b>350</b>	<b>350 PPM</b>	<b>Not known</b>	
<b>Xylene - CAS #1330-20-7</b>	<b>100</b>	<b>100 PPM</b>	<b>Not known</b>	
<b>Refined Hydro Treated Light Paraffini - CAS #64742558 for miste 10 mg/M3 Stel</b>		<b>5.0 mg/m3-TWA</b>	<b>Not known</b>	
<b>Methyl Salicylate - CAS #119-36-8</b>		<b>N/E</b>	<b>Not known</b>	

**"THIS PRODUCT IS NOT A CARCINOGEN OR POTENTIAL CARCINOGEN AS DEFINED BY OSHA,  
 THE NTP, OR THE IARC MONOGRAPHS."**

**THIS HAZARD CODE: Health - 1, Flammability - 2, Reactivity - 0, Other - 0**

**Section III - Physical/Chemical Characteristics**

Boiling Point <b>111°C</b>	<b>100° F</b>	Specific Gravity (H <sub>2</sub> O = 1)	<b>25/25° C</b>	<b>.9260</b>
Vapor Pressure (mm Hg.) <b>25° C</b>	<b>Not est.</b>	Melting Point		<b>N/A</b>
Vapor Density (AIR = 1)	<b>1.0</b>	Evaporation Rate (Butyl Acetate = 1)	<b>100</b>	<b>100</b>
Solubility in Water	<b>None</b>			
Appearance and Odor	<b>Amber - Mint - Clear...</b>			

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used) <b>110° F Cleveland (Open)</b>	Flammable Limits	<b>Not est.</b>	LEL <b>No data</b>	UEL <b>No data</b>
Extinguishing Media	<b>CO<sub>2</sub> - Dry chemical, or foam.</b>			
Special Fire Fighting Procedures	<b>Same as petroleum.</b>			
Unusual Fire and Explosion Hazards	<b>Combustible - Decomposition products - HCL, phosgene.</b>			

LIQUID - Continued

Section V -- Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	None

Incompatibility (Materials to Avoid) None

Hazardous Decomposition or Byproducts Carbon monoxide, oxides of Nitrogen, aldehydes and oxides of Sulfur, Selected Amines - Strong Acids, Phosgene.

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	None

Section VI -- Health Hazard Data

Route(s) of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes

Health Hazards (Acute and Chronic) Excessive inhalation can cause nasal and respiratory irritation. Ingestion can cause gastrointestinal irritation. Very low toxicity. Eyes - mild irritation - no corneal injury. Skin contact - short contact - no irritation. Prolonged contact minor irritation.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

Signs and Symptoms of Exposure Inhalation - dizziness, weakness, fatigue, headache. Ingestion - nausea, vomiting and diarrhea. Eyes - redness, tearing, blurred vision. Skin - defatting, redness.

Medical Conditions Generally Aggravated by Exposure Dermatitis, open cuts, Emphysema.

Emergency and First Aid Procedures Skin: Wash with soap and water. Eyes: Flush with large amounts of water. Breathing: Seek fresh air or give oxygen if available. Ingestion: Do not induce vomiting. Call physician immediately.

Section VII -- Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Provide adequate ventilation. Avoid open flames.

Waste Disposal Method Small spills may be absorbed with oil dri or sand. Large spills should be contained and pumped into steel drums for salvage or disposed of in sanitary land fill.

Precautions to Be Taken in Handling and Storing Handle as combustible liquid. Store in cool, dry place.

Other Precautions Keep away from open flame. Keep away from children.

Section VIII -- Control Measures

Respiratory Protection (Specify Type) Below 850 PPM - None needed.

Ventilation	Local Exhaust	Adequate	Special
	Mechanical (General)	Not needed	Other

Protective Gloves Only with open cuts or dermatitis. Eye Protection Not needed.

Other Protective Clothing or Equipment Not needed.

Work Hygiene Practices Handle with reasonable care.