

C. Johnson & Son, Inc.
25 Howe Street
Milwaukee, Wisconsin 53403

Emergency Medical Phone: (414) 631-2000
Informational Contact: Robert B. O'Brien
Phone: (414) 631-2777

EXEMPT

***** Section I - Product Identification *****

PRODUCT NAME: COMPLETE FOR FLOORS
PRODUCT NUMBER: 14650
SERIAL NUMBER: 026-030
ISSUE DATE: 07/24/87
SUPERCEDES DATE: 05/11/87

HMS RATING
HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0
HMS*

***** Section II - Ingredient Information *****

WEIGHT %	INGREDIENT AND EXPOSURE LIMIT
10-20	Modified Acrylic Polymer Exposure Limit: NA
1-3	Ethylene Glycol (CAS #107-21-1) Exposure Limit: 50 PPM (ACGIH TLV-TWA)
1-3	Ammonium Hydroxide (CAS #1336-21-6) Exposure Limit: 25PPM (ACGIH TLV-TWA); 50PPM (OSHA PEL); As Ammonia
under 0.1	Formaldehyde (CAS #50-00-0) Exposure Limit: 1 PPM (ACGIH TLV-TWA)
80-90	Water Exposure Limit: NA

H HEALTH	0
F FLAMMABILITY	0
R REACTIVITY	0
PERSONAL PROTECTION NIOSH ©1981 NIOSH	NONE

***** Section III - Physical Data *****

APPEARANCE/ODOR: Opaque, tan liquid with mild wax or ammoniacal odor
VAPOR PRESSURE (AIR=1): NA
SOLUBILITY IN WATER: Complete
FREEZING POINT (F): ND
PH: 9.2 -9.6
SPECIFIC GRAVITY (H2O=1): 1.0
PERCENT VOLATILE BY VOLUME (%): NA
VAPOR DENSITY (AIR=1): NA
BOILING POINT (F): above 200
EVAPORATION RATE (BUTYL ACETATE=1): ND

***** Section IV - Fire and Explosion Information *****

FLASH POINT (F) (METHOD USED): NA
FLAMMABLE LIMITS: NA
EXTINGUISHING MEDIA: Foam, CO2, Dry Chemical, Water Fos
SPECIAL FIREFIGHTING PROCEDURES: Normal fire fighting procedures may be used.

S.C. Johnson & Son, Inc.
1525 Howe Street
Racine, Wisconsin 53403

COMPLETE FOR FLOORS
PRODUCT NUMBER: 14650
Serial Number: 026-030

***** Section IV - Fire and Explosion Information (cont.) *****

UNUSUAL FIRE AND EXPLOSION HAZARDS: No special hazards known

***** Section V - Health Hazard Data *****

PRIMARY ROUTE OF ENTRY: NA
SIGNS AND SYMPTOMS: NA
FIRST AID PROCEDURES: NA

***** Section VI - Reactivity Data *****

STABILITY: Stable
STABILITY-CONDITIONS TO AVOID: None known
INCOMPATIBILITY: None known
HAZARDOUS DECOMPOSITION PRODUCTS: When exposed to fire, produces normal products of combustion.
HAZARDOUS POLYMERIZATION: Will Not Occur
HAZARDOUS POLYMERIZATION-CONDITIONS TO AVOID: None known

***** Section VII - Spill or Leak Procedures *****

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Contains ammonia and zinc. Do not let spilled or leaking material enter watercourse. May be toxic to aquatic life. Absorb with oil-dri or similar inert material. Sweep or scrape up and containerize.
WASTE DISPOSAL INFORMATION: No special method. Observe all applicable Federal/State regulations and Local ordinances regarding disposal of non-hazardous materials.
Waste from normal product use may be sewerred to a public-owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.

***** Section VIII - Special Protection Information *****

RESPIRATORY PROTECTION: No special requirements under normal use conditions.
VENTILATION: NSR
PROTECTIVE GLOVES: No special requirements under normal use conditions.
EYE PROTECTION: No special requirements under normal use conditions.
OTHER PROTECTIVE MEASURES: Use good personal hygiene practices.

S.C. Johnson & Son, Inc.
1525 Howe Street
Racine, Wisconsin 53403

COMPLETE FOR FLOORS
PRODUCT NUMBER: 14650
Serial Number: 026-030

***** Section IX - Special Precautions *****

PRECAUTIONARY LABELING: NA

OTHER HANDLING AND STORAGE CONDITIONS: Store in a cool, dry place with adequate ventilation. Keep from freezing.

***** Section X - Additional Information *****

NA

For information on appropriate emergency procedures phone: (414) 631-2000

NA - Not Applicable NSR - No Special Requirement

ND - Not Determined for this product

The information herein is given in good faith. No warranty, expressed or implied, is made. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and local laws and regulations.