481119-02 PAGE 1 OF 3

MOBIL OIL CORPORATION MATERIAL SAFETY DATA BULLETIN

MOBIL 1 5W-30

SUPPLIER:

MOBIL DIL COPP.

CHEMICAL NAMES AND SYNONYMS:

SYN. HYDROCARBONS AND ADDITIVES

USE OR DESCRIPTION: LUBRICANT

HEALTH EMERGENCY TELEPHONE:

(212) 883-4411

TRANSPORT EMERGENCY TELEPHONE:

(800) 424-9300 (CHEMTREC)

********* II. TYPICAL CHEMICAL AND PHYSICAL PROPERTIES

APPEARANCE: LT. BROWN LIQUID DDOR: MILD PH: NA VISCOSITY AT 100 F, SUS: 305.0 AT 40 C, CS: 58.4 VISCOSITY AT 210 F, SUS: 62.5 AT 100 C, CS: 10.7

FLASH POINT F(C): 435(224) (ASTM D-92)

MELTING POINT F(C): NA POUR PDINT F(C): -60(-51)

BDILING POINT F(C): > 600(316)

RELATIVE DENSITY, 15/4 C: 0.867 SOLUBILITY IN WATER: NEGLIGIBLE

VAPOR PRESSURE-MM HG 200: < .1

NA=NOT APPLICABLE NE=NOT ESTABLISHED D=DECOMPOSES FOR FURTHER INFORMATION, CONTACT YOUR LOCAL MARKETING OFFICE.

****** III. INGREDIENTS *************** WT PCT EXPOSURE LIMITS SOURCES

(APPROX) MG/M3 PPM (AND NOTES)

HAZARDOUS INGREDIENTS: NONE

OTHER INGREDIENTS:

SYNTHETIC DILS >75 ADDITIVES AND/OR OTHER INGREDS.

KEY TO SOURCES: A=ACGIH-TLV, A*=SUGGESTED-TLV, M=MOBIL, D=OSHA NOTE: LIMITS SHOWN FOR GUIDANCE ONLY. FOLLOW APPLICABLE REGULATIONS.

EFFECTS OF OVEREXPOSURE: SLIGHT SKIN IRRITATION.

********* DATA ****

EYE CONTACT: FLUSH WITH WATER.

SKIN CONTACT: WASH CONTACT AREAS WITH SDAP AND WATER.

INHALATION: NOT EXPECTED TO BE A PROBLEM.

INGESTION: NOT EXPECTED TO BE A PROBLEM. HOWEVER, IF GREATER THAN 1/2 LITER (PINT) INGESTED, IMMEDIATELY GIVE 1 TO 2 GLASSES OF WATER AND CALL A PHYSICIAN, HOSPITAL EMERGENCY ROOM OR POISON CONTROL CENTER FOR ASSISTANCE. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIDUS PERSON.

HMIS*

VI. FIRE AND EXPLOSION HAZARD DATA **********

FLASH POINT F(C): 435(224) (ASTM D-92)

FLAMMABLE LIMITS. LEL: .6 UEL: 7.0

EXTINGUISHING MEDIA: CARBON DIOXIDE, FDAM, DRY CHEMICAL AND WATER FOG.

SPECIAL FIRE FIGHTING PROCEDURES: FIREFIGHTERS MUST USE SELF-CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

ENVIRONMENTAL IMPACT: REPORT SPILLS AS REQUIRED TO APPROPRIATE
AUTHORITIES. U. S. COAST GUARD REGULATIONS REQUIRE IMMEDIATE
REPORTING OF SPILLS THAT COULD REACH ANY WATERWAY INCLUDING
INTERMITTENT DRY CREEKS. REPORT SPILL TO COAST GUARD TOLL FREE
NUMBER 800-424-8802.

PROCEDURES IF MATERIAL IS RELEASED OR SPILLED: ADSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS, AND PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL.

WASTE MANAGEMENT: DISSOLVE WASTE IN A SOLVENT AND DISPOSE BY SUPERVISED INCINERATION IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.

SKIN PROTECTION: NO SPECIAL EQUIPMENT REQUIRED. HOWEVER, GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED.

RESPIRATORY PROTECTION: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

VENTILATION: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

DRAL TOXICITY (RATS): SLIGHTLY TOXIC(ESTIMATED) --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

DERMAL TOXICITY (RABBITS): SLIGHTLY TOXIC(ESTIMATED) --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

INHALATION TOXICITY (RATS): NOT APPLICABLE ---HARMFUL CONCENTRATIONS OF MISTS AND/OR VAPORS ARE UNLIKELY TO BE ENCOUNTERED THROUGH ANY CUSTOMARY OR REASONABLY FORESEEABLE HANDLING, USE, OR MISUSE OF THIS PRODUCT.

EYE IRRITATION (RABBITS): EXPECTED TO BE NON-IRRITATING. --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

SKIN IRRITATION (RABBITS): MAY CAUSE SLIGHT IRRITATION ON PROLONGED OR REPEATED CONTACT. --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

HEMICAL NAME

CAS NUMBER LIST CITATIONS
*** NO INGREDIENT CITATIONS ***

--- KEY TO LIST CITATIONS ---

1 = OSHA, 2 = ACGIH, 3 = IARC, 4 = NTP, 5 = NCI, 6 = EPA CARC, 7 = NFPA 49, 8 = NFPA 325M, 9 = DOT HMT, 10 = CA RTK, 11 = IL RTK, 12 = MA RTK, 13 = MN RTK, 14 = NJ RTK, 15 = NJ SHH, 16 = FL RTK, 17 = PA RTK.

PREPARED BY: MOBIL OIL CORPORATION
ENVIRONMENTAL AFFAIRS AND TOXICOLOGY DEPARTMENT, PRINCETON, NJ

FOR FURTHER INFORMATION, CONTACT:

MOBIL DIL CORPORATION, PRODUCT FORMULATION AND QUALITY CONTROL 3225 GALLOWS ROAD, FAIRFAX, VA 22037 (703) 849-3265

INFORMATION GIVEN HEREIN IS OFFERED IN GOOD FAITH AS ACCURATE, BUT WITHOUT GUARANTEE. CONDITIONS OF USE AND SUITABILITY OF THE PRODUCT FOR PARTICULAR USES ARE BEYOND OUR CONTROL; ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER AND WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EYERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANIABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. NOTHING IS INTENDED AS A RECOMMENDATION FOR USES WHICH INFRINGE VALID PATENTS OR AS EXTENDING LICENSE UNDER VALID PATENTS. APPROPRIATE WARNINGS AND SAFE HANDLING