



AMOCO ANTI-RUST OIL NO. 26

MATERIAL SAFETY DATA SHEET

MSDS No. 01637000  
ENGLISH

---

## 1.0 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AMOCO ANTI-RUST OIL NO. 26

**MANUFACTURER/SUPPLIER:**Amoco Oil Company  
200 East Randolph Drive  
Chicago, Illinois 60601 U.S.A.**EMERGENCY HEALTH INFORMATION:**

1 (800) 447-3735

**EMERGENCY SPILL INFORMATION:**

1 (300) 424-9300 CHEMTREC (USA)

**OTHER PRODUCT SAFETY INFORMATION:**

(312) 856-3907

---

## 2.0 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS#</u>	<u>Range % by Wt.</u>
Solvent-refined heavy paraffinic distillate	84741-88-4	60-100

(See Section 8.0, "Exposure Controls/Personal Protection", for exposure guidelines)

---

## 3.0 HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** This product has been evaluated and does not require any hazard warning on the label under OSHA criteria.

**POTENTIAL HEALTH EFFECTS:**

**EYE CONTACT:** No significant health hazards identified.

**SKIN CONTACT:** Prolonged or repeated contact may produce some skin irritation.

**INHALATION:** No significant health hazards identified. See "Toxicological Information" section (Section 11.0).

**INGESTION:** No significant health hazards identified.

**HMIS CODE:** (Health:0) (Flammability:1) (Reactivity:0)

**NFPA CODE:** (Health:0) (Flammability:1) (Reactivity:0)

---

## 4.0 FIRST AID MEASURES

**EYE:** Flush eyes with plenty of water.

**SKIN:** Wash exposed skin with soap and water. Get medical attention if irritation develops.

**INHALATION:** If adverse effects occur, remove to uncontaminated area. Get medical attention.

**INGESTION:** If a large amount is swallowed, get medical attention.

AMOCO ANTI-RUST OIL NO. 26  
MSDS No. 01537000

Page 2 of 5

---

## 5.0 FIRE FIGHTING MEASURES

**FLASHPOINT:** 300°F(149°C) (minimum) (Cleveland open cup) ASTM D92

**UEL:** Not determined.

**LEL:** Not determined.

**AUTOIGNITION TEMPERATURE:** Not determined.

**FLAMMABILITY CLASSIFICATION:** Not Flammable.

**EXTINGUISHING MEDIA:** Agents approved for Class B hazards (e.g., dry chemical, carbon dioxide, foam, steam) or water fog.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None identified.

**FIRE-FIGHTING EQUIPMENT:** Firefighters should wear full bunker gear, including a positive pressure self-contained breathing apparatus.

**HAZARDOUS COMBUSTION PRODUCTS:** Incomplete burning can produce carbon monoxide and/or carbon dioxide and other harmful products.

---

## 6.0 ACCIDENTAL RELEASE MEASURES

Remove mechanically or contain on an absorbent material such as dry sand or earth. Keep out of sewers and waterways.

---

## 7.0 HANDLING AND STORAGE

**HANDLING:** No special requirements.

**STORAGE:** No special requirements.

---

## 8.0 EXPOSURE CONTROLS / PERSONAL PROTECTION

**EYE:** None required; however, use of eye protection is good industrial practice.

**SKIN:** Wear protective clothing and gloves if prolonged or repeated contact is likely.

**INHALATION:** Avoid breathing mist. If ventilation is inadequate, use NIOSH/MSHA certified respirator that will protect against dust/mist.

**ENGINEERING CONTROLS:** Control airborne concentrations below the exposure guidelines.

### EXPOSURE GUIDELINES:

<u>Component</u>	<u>CAS#</u>	<u>Exposure Limits</u>
Solvent-refined heavy para/nic distillate	64741-98-4	OSHA PEL: 5 mg/m <sup>3</sup> (oil mist) (1989)(1971) ACGIH TLV-TWA: 5 mg/m <sup>3</sup> (oil mist) ACGIH TLV-STEL: 10 mg/m <sup>3</sup> (oil mist)

AMOCO ANTI-RUST OIL NO. 26  
MSDS No. 01637000

Page 3 of 5

---

**9.0 CHEMICAL AND PHYSICAL PROPERTIES**

APPEARANCE AND ODOR: Oily liquid. Orange.  
pH: Not determined.  
VAPOR PRESSURE: Not determined.  
VAPOR DENSITY: Not determined.  
BOILING POINT: Not determined.  
MELTING POINT: Not determined.  
SOLUBILITY IN WATER: Negligible, below 0.1%.  
SPECIFIC GRAVITY (WATER = 1): 0.88  
VISCOSITY: 24-27cSt at 40°C ASTM D445  
POUR POINT:

---

**10.0 STABILITY AND REACTIVITY**

STABILITY: Stable.

CONDITIONS TO AVOID: None identified.

MATERIALS TO AVOID: Avoid chlorine, fluorine, and other strong oxidizers.

HAZARDOUS DECOMPOSITION: None identified.

HAZARDOUS POLYMERIZATION: Will not occur.

---

**11.0 TOXICOLOGICAL INFORMATION****ACUTE TOXICITY DATA:**

EYE IRRITATION: Testing not conducted. See Other Toxicity Data.  
SKIN IRRITATION: Testing not conducted. See Other Toxicity Data.  
DERMAL LD50: Testing not conducted. See Other Toxicity Data.  
ORAL LD50: Testing not conducted. See Other Toxicity Data.  
INHALATION LC50: Testing not conducted. See Other Toxicity Data.

**OTHER TOXICITY DATA:**

Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on information from similar products, the ingredients, technical literature, and/or professional experience.

Oil mist: Repeated exposure to levels of oil mists in excess of the exposure limits may result in accumulation of oil droplets in pulmonary tissue and may lead to irritation of the nose and throat. No adverse health effect is expected to occur at or below the exposure limits.

No component of this product present at levels greater than 0.1% is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC).

AMOCO ANTI-RUST OIL NO. 26  
MSDS No. 01837000

Page 4 of 5

---

### 12.0 ECOLOGICAL INFORMATION

Ecological testing has not been conducted on this product.

---

### 13.0 DISPOSAL INFORMATION

Disposal must be in accordance with applicable federal, state, or local regulations. This material may be amenable to recycling.

Since the emptied containers retain product residue, follow label warnings even after container is emptied.

---

### 14.0 TRANSPORTATION INFORMATION

#### U.S. DEPT OF TRANSPORTATION

Shipping Name : Not Regulated

#### INTERNATIONAL INFORMATION:

##### Sea (IMO/IMDG)

Shipping Name : Not determined.

##### Air (ICAO/IATA)

Shipping Name : Not determined.

##### European Road/Rail (ADR/RID)

Shipping Name : Not determined.

##### Canadian Transportation of Dangerous Goods

Shipping Name : Not determined.

---

**15.0 REGULATORY INFORMATION**

**CERCLA SECTIONS 102A/103 HAZARDOUS SUBSTANCES (40 CFR PART 302.4):** This product is not reportable under 40 CFR Part 302.4.

**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR PART 355):** This product is not regulated under Section 302 of SARA and 40 CFR Part 355.

**SARA TITLE III SECTIONS 311/312 HAZARDOUS CATEGORIZATION (40 CFR PART 370):** This product is defined as hazardous by OSHA under 29 CFR Part 1910.1200(d).

**SARA TITLE III SECTION 313 (40 CFR PART 372):** This product is not regulated under Section 313 of SARA and 40 CFR Part 372.

**U.S. INVENTORY (TSCA):** Listed on inventory.

**OSHA HAZARD COMMUNICATION STANDARD:** Contains a component listed by OSHA. Contains a component listed by ACGIH.

**EC INVENTORY (EINECS/ELINCS):** Not determined.

**JAPAN INVENTORY (MITI):** Not determined.

**AUSTRALIA INVENTORY (AICS):** Not determined.

**KOREA INVENTORY (ECL):** Not determined.

**CANADA INVENTORY (DSL):** Not determined.

**PHILIPPINE INVENTORY (PICCS):** Not determined.

---

**16.0 OTHER INFORMATION**

Prepared by:

Environment, Health and Safety Department

Issued: June 13, 1995

Supersedes: November 30, 1992

---

*This material Safety Data Sheet conforms to the requirements of ANSI Z400.1.*

*This material safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we received from sources outside our company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.*