

\*Estimate N/A-Not Applicable N/R-Not Restricted N/E-Not Established

## **MATERIAL SAFETY DATA SHEET**

NOTE: BLANK SPACES ARE NOT PERMITTED	D. IF ANY ITEM I	S NOT APPLICABLE, TH	IE SPACE MUS	T BE MARKEI	D TO INDICATE THAT.					
IDENTITY	PART NO.									
(As shown on Label or package) F-799 CLEA	IF APPLICABLE									
SECTION I			***************************************							
MANUFACTURER'S			EMERGENCY							
NAME Plasti Dip International, Inc.			PHONE No. 1-800-424-9300							
ADDRESS (NUMBER, STREET, CITY, STATE AND ZIP CODE)			REVISION # 0001							
3920 Pheasant Ridge Drive										
Blaine, MN 55449			MANUFACTURER'S PHONE No. FOR INFORMATION 1-763-785-2156							
			DATE MSDS WAS PREPA	RED July 11,	2012					
SECTION II - HAZARDOUS INGREDIENTS INFO	DRMATION. All I	Health Hazards which com	prise 1% or grea	iter of the comp	osition and all					
carcinogens if 0.1% of the composition or greater.										
HAZARDOUS COMPONENTS CHEMICAL and	% Wt.	CAS NO.	OSHA	ACGIH	OTHER LIMITS					
IDENTITY AND COMMON NAME (S)	(OPTIONAL)	100.00.0	PEL	TLV	RECOMMEND					
Toluene	89.7	108-88-3	200 ppm	50 ppm	None					
CECTION HI DUNCICAL / CHEMICAL CHARA	CTEDICTICS									
SECTION III - PHYSICAL / CHEMICAL CHARA	the state of the s	NAME OF THE OWNER O	1 PPP OVER 1	TE MEIGHT	DED CALLON (LDC)					
BOILING POINT 232°F	SPECIFIC GRAVITY (H <sub>2</sub> 0 =1)		APPROXIMATE WEIGHT PER GALLON (LBS) 7.17							
VAPOR PRESSURE	VAPOR DENSIT	0.84 - 0.87		EVAPORATION RATE						
		R = 1) Heavier than air		(BUTYL ACETATE =1) > 1.0						
SOLUBILITY IN WATER	% VOLATILE	89.7%	OTHER							
Insoluble VOC LBS										
APPEARANCE										
AND ODOR Various Colors, Honey Like Substance - Characteristic Odor										
SECTION IV-FIRE AND EXPLOSION HAZARD DATA										
FLASH POINT 45.0°F	FLA	MMABLE LIMITS	LEL	1	UEL					
(METHOD USED) TCC	The Solid Activities		1.2		7.0					
EXTINGUISHING										
MEDIA Carbon Dioxide, Dry Chemical, or Foam										
SPECIAL FIRE										
FIGHTING PROCEDURES Self contained breathing apparatus with a full face piece, operated in pressure demand or other positive pressure mode.										
UNUSUAL FIRE AND EXPLOSION HAZARDS This material is flammable and may be ignited by heat, sparks, flame or static electricity.										
EXPLOSION HAZARDS This material is flan HAZARDOUS PRODUCTS FORMED BY	imable and may be	ignited by heat, sparks, flam	e or static electric	ıty.						
	n Diovide and/or Co	erbon Monovida								
FIRE OR THERMAL DECOMPOSITION Carbon Dioxide and/or Carbon Monoxide.  EXPLOSIVE LIMITS										
(% BY VOLUME IN AIR) 1.2 – 7.0										
SECTION V - OPTIONAL HAZARD RATINGS IDENTIFICATION										
HAZARD RATING	31111111111111111	National Fire Protection	Association (NI	PA)						
4-EXTREME										
3-HIGH	FIRE 3 REACTIVITY 0.									
2-MODERATE		A								
1-SLIGHT		vermo VIII Para Jerusania pro. National								
0-INSIGNIFICANT	HEALTH 2 SPECIAL HAZARDS None									
**SEE SECTION IV										

This is the "front" when printed in duplex. Page 1 of 2 pages if not duplex.



SECTION VI - REA	CTIVITY A	ND ST	ABILITY DATA	-				
STABILITY								
			id) Strong acids, bases, oxidizing age		i metals and halogens			
			BY PRODUCTS Carbon Monoxide,		i metals and narogens.			
	OMFOSITIO			CONDITIONS TO AVOID	·			
HAZARDOUS   MAY OCCUR   POLYMERIZATION   WILL NOT OCCUR   X								
					nic			
SECTION VII - HE		-			THE STATE OF THE S			
ROUTES OF ENTR		INHALATION? Yes SKIN? Yes INGESTION? Yes EYES? Yes						
HEALTH	ACUTE	X See Signs and Symptoms of Exposure below.						
HAZARDS	CHRONIC	X	Brain and Nervous System Damage	(Referred to as solvents or pair	nters syndrome). Drying or Cracking skin.			
CARCINOGENICIT	TY: No							
SIGNS AND								
SYMPTOMS OF		Headache, Dizziness, Drowsiness, Fatigue, Irregular Heartbeat, Skin and Eye Irritation.						
EXPOSURE		Targ	et Organs: CNS, CVS, PNS, Liver, Ki	dneys, Lungs, Respiratory Syst	tem, Skin.			
MEDICAL CONDIT	TIONS GENE	RALL	Y AGGRAVATED BY EXPOSURE	Pre-existing Heart, Liver, Kid	lney and Lung disorders.			
	7.7							
EMERGENCY AND	•	Inges	stion: Contact Physician or Poison Co	ntrol Immediately.				
FIRST AID		Inhal	ation: Remove to fresh air. Administr	er Oxygen or Artificial Respira	tion if Necessary.			
PROCEDURES		Eye (	Contact: Flush with large amounts of	water. If irritation persists, con	tact Physician.			
Control (No. 1997) and Control (No. 1999) and			Wash with soap and water.					
SECTION VIII - PR	ECAUTIONS	FOR S	SAFE HANDLING AND USE					
STEPS TO BE TAK	FN	Wine	up with floor absorbent. Transfer to	nood Prevent run-off to sewer	S			
IN CASE MATERIA		Wipe up with floor absorbent. Transfer to hood. Prevent run-off to sewers.  Eliminate all sources of ignition. Ventilate to maintain exposure below PEL's. Use sand or other material to dam						
RELEASED OR SPI		or contain spills. If large spill, notify appropriate state and local agencies.						
KELEASED OK SI I	LLED	01 00	main spins. It large spin, notify appro	priate state and local agencies.				
WASTE DISPOSAL	METHODS	Dienoe	e of product in accordance with local,	county state and federal regula	ntions			
WASTEDISTOSAL	METHODS	Disposi	e of product in accordance with local,	county, state and rederal regula	ations.			
DDECAUTIONS TO	RE	Keep away from sparks, flame and heat sources. Do not store above 120°F and use adequate ventilation.						
PRECAUTIONS TO BE Keep away from sparks, flame and heat sources. Do n Avoid inhalation of vapors and contact with liquid proc								
AND STORAGE	ino	Avoi	d initialation of vapors and contact with	i ilquid product. Ese good per	solidi fiygicile.			
ANDSTORAGE								
OTHER		Vaan	Container Closed When Not In Use.	Containers should be disposed	of in an environmentally safe manner			
PRECAUTIONS			cordance with Governmental Regulation		of ill all clivitolimentary sale mainer			
	TROL MEAG		cordance with Governmental Regulation	ous.				
SECTION IX - CON					DD OWN CWANTE GY OVERS			
RESPIRATORY PR	OTECTION (	SPECI	FY TYPE) Depending on the Airborn	e concentration, use a	PROTECTIVE GLOVES			
	isk with approp	oriate N	NOSH approved cartridge and canniste	er, or supplied air equipment.				
VENTILATION LOCAL EXHAUST Supplemental (if needed)			SPECIAL None					
		ANICAL (GENERAL) To maintain exposure below PEL's			OTHER None			
EYE PROTECTION				PROTECTIVE CLOTHING	OR EQUIPMENT			
	Chemical splash goggles or approved eye protection. Impervious Clothing/Boots as needed.							
WORK HYGIENIC PRACTICES Wash thoroughly after handling.								
SECTION X - TRAN	SPORTATIO	N INF	ORMATION (Optional)					
D.O.T. PROPER SH	IPPING NAM	E Coa	ting Solution	D.O.T. HAZARD	CLASS 3, PG II			
			M-D", WHAT IS THE HAZARD CL	ASS 3, PG II				
D.O.T. I.D. No. (N/U								
IATA PROPER SHIPPING NAME Coating Solution IATA HAZARD CLASS 3, PG II IMO No. N/A								
SECTION XI - 313 SUPPLIER NOTIFICATION								
THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT -TO-KNOW ACT OF 1986, 40 CFR 372, (see table on page 1 for CAS # and percent by weight).								
Toluene	WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH							
DEFECTS, OR OTHER REPRODUCTIVE HARM.								
DEFECTS, OR OTH	EK KEPKUD	OCII	VE HARM.					

This is the "back" when printed in duplex. Page 2 of 2 pages if not duplex.

Prepared By: Mark Kenow