

PRODUCT NAME: BASE-KOTE EPOXI PRIMER - PART B
 PRODUCT CODE: 19290

HMS CODES: H
 1*

===== SECTION I - MANUFACTURER IDENTIFICATION =====

NAME: REVERE PRODUCTS
 ADDRESS: 4529 INDUSTRIAL PKWY, CLEVELAND, OH 44135
 EMERGENCY PHONE: (800)535-5053 INFORMATION PHONE: (800)321-
 DATE REVISED : 01-01-96 NAME OF PREPARER : HARRY J.

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS			VAPOR PRESS at 20°C
		OSHA PEL	ACGIH TLV	OSHA STEL	
BISPHENOL A DIGLYCIDYL ETHER	25068-38-6	NONE	NONE	NONE	1.0
BISPHENOL A TETRAGLYCIDYL ETHER	68609-97-2	NONE	NONE	NONE	N/A

No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

MELTING POINT: 200 Deg F SPECIFIC GRAVITY (H2O=1): 1.1
 DENSITY: N/A EVAPORATION RATE: N/A
 SOLUBILITY IN WATER: NEGLIGIBLE
 APPEARANCE AND ODOR: LOW VISCOSITY LIQUID - CLEAR.

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

MELTING POINT: 200+F METHOD USED: SETA FLASH
 FLASH POINT: N/A LOWER: N/A UPPER: N/A
 EXTINGUISHING MEDIA: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG

LOCAL FIRE FIGHTING PROCEDURES

IF CONFINED FIRE AREA WITHOUT FULL BUNKER GEAR INCLUDING A POSITIVE PRESSURE MICH APPROVED SELF-CONTAINED BREATHING APPARATUS, COOL ALL FIRE EXPOSED CONTAINERS WITH WATER.

ADDITIONAL FIRE AND EXPLOSION HAZARDS

NO OTHER HAZARDS KNOWN.

EK01

MATERIAL SAFETY DATA SHEET

SECTION V - REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID
 AVOID EXCESSIVE HEAT OR OPEN FLAMES.

INCOMPATIBILITY (MATERIALS TO AVOID)
 CAN REACT VIGOROUSLY WITH STRONG OXIDIZING AGENTS AND STRONG LEWIS ACIDS OR MINERAL ACIDS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
 CO₂, ALDEHYDES, ACIDS. REACTION WITH SOME CURING AGENTS CAN GENERATE LARGE AMOUNTS OF HEAT.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
 NO GUIDE FOR CONTROL KNOWN, HOWEVER, EXPOSURE TO HEATED VAPORS CAN CAUSE IRRITATION TO THE NOSE, THROAT OR MUCOUS MEMBRANES.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
 SKIN: MAY CAUSE IRRITATION OR ALLERGIC SKIN RESPONSE. EYES: MAY CAUSE IRRITATION BUT NO CORNEAL INJURY IS LIKELY.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
 NOT LIKELY TO BE ABSORBED IN TOXIC AMOUNTS.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
 THIS MATERIAL HAS A PROBABLE LOW ACUTE ORAL TOXICITY.

HEALTH HAZARDS (ACUTE AND CHRONIC)
 EPOXY RESINS CAN CAUSE SENSITIZATION BY EXPOSURE THROUGH CONTACT OR HIGH CONCENTRATIONS OF VAPOR. EYES: INJURY IS UNLIKELY BUT STAIN FOR EVIDENCE OF CORNEAL INJURY.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO
 NO CONSTITUENTS OF THIS PRODUCT ARE REGULATED AS CARCINOGENS UNDER OSHA, IARC, OR NTP PROGRAMS.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
 RESPIRATORY CONDITIONS OR OTHER ALLERGIC RESPONSE.

EMERGENCY AND FIRST AID PROCEDURES

EYES: FLUSH EYES WITH WATER FOR AT LEAST FIFTEEN MINUTES AND CONSULT A PHYSICIAN. **SKIN:** SKIN CONTACT WILL NORMALLY CAUSE NO MORE THAN IRRITATION BUT WASH AFFECTED AREA WITH SOAP AND WATER AND REMOVE CONTAMINATED CLOTHING PROMPTLY. **INHALATION:** REMOVE VICTIM TO FRESH AIR AREA AND ADMINISTER OXYGEN IF NECESSARY. **INGESTION:** LOW IN TOXICITY, INDUCE VOMITING ONLY IF LARGE AMOUNTS OF MATERIAL ARE INGESTED, OTHERWISE DO NOT INDUCE VOMITING. IN EITHER CASE IMMEDIATELY CONSULT WITH A PHYSICIAN.

MATERIAL SAFETY DATA SHEET

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

WEAR RESPIRATOR AND PROTECTIVE CLOTHING. SHUT OFF THE SOURCE AT THE LEAK. REMOVE EXCESS WITH VACUUM TRUCK AND TAKE UP THE REMAINDER WITH AN ABSORBANT SUCH AS CLAY AND PLACE IN DISPOSAL CONTAINERS. FLUSH AREA WITH WATER TO REMOVE RESIDUE.

WASTE DISPOSAL METHOD

DISPOSE OF THE MATERIAL IN A WASTE DISPOSAL SITE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL LAWS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

STORE IN COOL DRY PLACE. SEAL ALL PARTIALLY USED CONTAINERS. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. MIXED MATERIALS CONTAIN THE HAZARDS OF ALL THE COMPONENTS, THEREFOR, READ THE MSDS'S OF ALL THE COMPONENTS PRIOR TO USING MATERIAL. PROPERLY LABEL ALL CONTAINERS.

OTHER PRECAUTIONS

AVOID ALL SKIN CONTACT. AVOID BREATHING VAPORS GENERATED FROM THE MATERIAL. OBSERVE CONDITIONS OF GOOD GENERAL HYGIENE AND SAFE WORKING PRACTICES. CONTAMINATED LEATHER ARTICLES CANNOT BE CLEANED AND MUST BE DISCARDED IF CONTAMINATED WITH THIS PRODUCT. WASH ALL CONTAMINATED CLOTHING PRIOR TO THE REUSE THEREOF.

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

USE A NIOSH APPROVED RESPIRATOR AS REQUIRED TO PREVENT OVER-EXPOSURE TO VAPOR IN ACCORDANCE WITH 29 CFR 1910.134. GENERAL EXHAUST IS USUALLY SUFFICIENT IN LIEU OF NIOSH RESPIRATOR.

VENTILATION

GENERAL EXHAUST IS USUALLY SUFFICIENT TO CONTROL VAPORS AND EXPOSURE HAZARDS.

PROTECTIVE GLOVES

IMPERVIOUS GLOVES - NEOPRENE OR RUBBER

EYE PROTECTION

SPLASH GOGGLES OR GLASSES WITH SIDE SHIELDS.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

WEAR BODY COVERING CLOTHING AND OTHER COVERINGS AS NECESSARY SUCH AS APRON AND APPROPRIATE FOOTWEAR TO AVOID CONTACT WITH MATERIAL.

WORK/HYGIENIC PRACTICES

OBSERVE GOOD GENERAL HYGIENIC PRACTICES.

===== SECTION IX - DISCLAIMER =====

DISCLAIMER

THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE ACCURATE. HOWEVER, REVERE PRODUCTS MAKES NO WARRANTY EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. REVERE ASSUMES NO RESPONSIBILITIES FOR INJURY FROM THE USE OF THIS PRODUCT.