



Printing date 03/06/2019 Reviewed on 03/05/2019

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Threadlocker

- Synonyms: 123 Medium Strength Hi-Temp Oil Tolerant Threadlocker

- Part number: VT123

- Application of the substance / the mixture Thread Locking

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017

USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product safety department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms







GHS05 GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labeling:

(1-methylethylidene)bis(4,1-phenyleneoxy-2,1-ethanediyl) bismethacrylate 1,1'-(1,3-phenylene)bis-1H-pyrrole-2,5-dione methacrylic acid, monoester with propane-1,2-diol

2'-phenylacetohydrazide

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

- Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash face, hands and any exposed skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/06/2019 Reviewed on 03/05/2019

Trade name: Vibra-TITE® Threadlocker

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P280 Wear protective gloves.

P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P321 Specific treatment (see on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

- NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



- Other hazards

- Results of PBT and vPvB assessment
 - PBT: Not applicable.- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

CAS: 24448-20-2	(1-methylethylidene)bis(4,1-phenyleneoxy-2,1-ethanediyl) bismethacrylate	80 – 89%
0/10/21/10/20/2	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317	
CAS: 3006-93-7	1,1'-(1,3-phenylene)bis-1H-pyrrole-2,5-dione	4.992%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 27813-02-1	methacrylic acid, monoester with propane-1,2-diol	4.25%
	Eye Irrit. 2A, H319; Skin Sens. 1, H317	
CAS: 9002-84-0	Polytetrafluoroethylene	1 – 4%
	Combustible Dust	
	Silicone acrylate	1 – 4%
	Skin Irrit. 2, H315; Flam. Liq. 4, H227; Eye Irrit. 2B, H320	
CAS: 114-83-0	2'-phenylacetohydrazide	≤ 1%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
	Proprietary	≤ 1%
	Carc. 2, H351; Asp. Tox. 1, H304; STOT SE 3, H336	
CAS: 98-82-8	cumene	≤ 1%
	Flam. Lig. 3, H226; Carc. 2, H351; Asp. Tox. 1, H304; Acute Tox. 4, H302; STOT SE 3, H335	

4 First-aid measures

Description of first aid measures

- General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

Safety Data Sheet

Printing date 03/06/2019 Reviewed on 03/05/2019

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 2)

- Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

CO2, sand, extinguishing powder. Do not use water.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters

- Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

No special precautions are necessary if used correctly.

- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
 - Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

Printing date 03/06/2019 Reviewed on 03/05/2019

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 3)

CAS: 98-82-8 cumene PEL Long-term value: 245 mg/m³, 50 ppm Skin REL Long-term value: 245 mg/m³, 50 ppm Skin TLV Long-term value: (246) NIC-0.5 mg/m³, (50) NIC-0.1 ppm NIC-A3

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- Breathing equipment:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber. NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

9 Physical and chemical properties

or nysical and one-mical properties		
- Information on basic physical and cher - General Information - Appearance:	mical properties	
- Form:	Fluid	
- Color:		
	Blue	
- Odor:	Characteristic	
- Odor threshold:	Not determined.	
- pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. ≥ 170 °C (≥ 338 °F)	
- Flash point:	208 °C (406.4 °F)	
- Flammability (solid, gaseous):	Not applicable.	
- Decomposition temperature:	Not determined.	
- Auto igniting:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	
- Explosion limits:		
- Lower:	Not determined.	
	(0 1) 5	

Printing date 03/06/2019 Reviewed on 03/05/2019

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 4)

- Upper:	Not determined.	
- Vapor pressure:	Not determined.	
- Density:	Not determined.	
- Relative density	Not determined.	
- Vapor density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
- Water:	Not miscible or difficult to mix.	
- Partition coefficient (n-octanol/	water): Not determined.	
- Viscosity:		
- Dynamic:	Not determined.	
- Kinematic:	Not determined.	
- Solvent content:		
 Organic solvents: 	0.9 %	
- Water:	0.3 %	
- VOC content:	0.94 %	
	9.4 g/l / 0.08 lb/gal	
- Solids content:	10.3 %	
- Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity No further relevant information available.
 - Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Aldehyde

Hydrocarbons

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:

	0 10/11/011/	
- LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Dermal	LD50	59,524 mg/kg (rat)
CAS: 114	-83-0 2'-pł	nenylacetohydrazide
Oral	LD50	270 mg/kg (mouse)
Proprieta	ry	
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
CAS: 98-	82-8 cume	ne
Oral	LD50	1,400 mg/kg (rat)
Dermal	LD50	12,300 mg/kg (rabbit)
Inhalative	LC50/4 h	24.7 mg/l (mouse)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)	
CAS: 9002-84-0 Polytetrafluoroethylene	3
	(Contd. on none C)

Printing date 03/06/2019 Reviewed on 03/05/2019

Trade name: Vibra-TITE® Threadlocker

		(Contd. of page 5)
CAS: 98-82-8	cumene	2B
- N7	TP (National Toxicology Program)	
CAS: 98-82-8	cumene	R
CAS: 130-15-4	1,4-naphthoquinone	R
- 03	SHA-Ca (Occupational Safety & Health Administration)	
None of the ing	gredients is listed.	
10 Feelewieel	information	

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- Ecotoxical effects:
 - Remark: Very toxic for fish
- Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- Results of PBT and vPvB assessment

- PBT: Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
 - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

14 Transport information	
- UN-Number - DOT - IMDG, IATA	not regulated UN3082
- UN proper shipping name - DOT - IMDG - IATA	not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- Transport hazard class(es)	
- DOT - Class	not regulated
- IMDG, IATA	
- Class - Label	9 Miscellaneous dangerous substances and articles
- Packing group	
- DOT - IMDG, IATA	not regulated III

Printing date 03/06/2019 Reviewed on 03/05/2019

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 6)

	(conta. of pag
- Environmental hazards:	Product contains environmentally hazardous substances: (1-methylethylidene)bis(4,1-phenyleneoxy-2,1-ethanediyl) bismethacrylate
- Marine pollutant:	No Symbol (fish and tree)
- Special marking (IATA):	Symbol (fish and tree)
- Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Danger code (Kemler):	90
- EMS Number:	F-A,S-F
- Stowage Category	A
- Transport in bulk according to Annex II of M	IARPOL73/78
and the IBC Code	Not applicable.
- Transport/Additional information:	
- IMDG	
 Limited quantities (LQ) 	5L
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

*15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture - Sara

- Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
CAS: 80-15-9 dimethylbenzyl hydroperoxide	
CAS: 98-82-8 cumene	
- TSCA (Toxic Substances Control Act):	
(1-methylethylidene)bis(4,1-phenyleneoxy-2,1-ethanediyl) bismethacrylate	
1,1'-(1,3-phenylene)bis-1H-pyrrole-2,5-dione	
methacrylic acid, monoester with propane-1,2-diol	
Polytetrafluoroethylene	
propane-1,2-diol	
dimethylbenzyl hydroperoxide	
Saccharin	
2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	
White mineral oil, petroleum	
2'-phenylacetohydrazide	
cumene	
tetrasodium ethylenediaminetetraacetate	
2-Phenyl-2-propanol	
2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole)	
calcium carbonate	
n-butyl-4,4-di(tert-butylperoxy)-valerate (not more than 52%, and inert solid not less than 48%)	
N-isopropylhydroxylamine	
1-hydroxyethane-1,1-diylbis(phosphonic acid)	
1,4-naphthoquinone	
Calcium Silicate	
2-Propanone, oxime	
phosphorous acid	
tert-butyl hydroperoxide	
Deionized water	
- TSCA new (21st Century Act): (Substances not listed)	
Silicone acrylate	

Printing date 03/06/2019 Reviewed on 03/05/2019

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 7) CAS: 114-83-0 2'-phenylacetohydrazide Proprietary - Hazardous Air Pollutants CAS: 98-82-8 cumene CAS: 130-15-4 1,4-naphthoguinone Proposition 65 Chemicals known to cause cancer: CAS: 98-82-8 cumene - Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

- Carcinogenic categories

None of the ingredients is listed.

 EPA (Environmental Protection Agency) CAS: 98-82-8 cumene D, CBD - TLV (Threshold Limit Value established by ACGIH) Calcium Silicate A4 - NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Chemicals known to cause developmental toxicity:

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
 - Date of preparation / last revision 03/06/2019 / 20
 - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1

- * Data compared to the previous version altered.

Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.