SAFETY DATA SHEET **Carbon and Alloy Steel Tubing**

1. Identification

Product identifier Other means of identification Synonyms Recommended use Recommended restrictions

Address

Telephone number Contact person **Emergency telephone** E-mail

2. Hazard(s) identification

Carbon or Alloy, seamless tube and pipe Not available. Steel SBQIMBQ applications. None known.

Manufacturer Contact Information

Michigan Seamless Tube and Pipe, LLC 400 McMunn Street South Lyon MI 48178 (248) 486-0100 Safety Cordinator (248) 486-0100 TCarrill@mstube.com

Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Hazard symbol	None
Signal word	None
Hazard statement	None
Precautionary statement	
Prevention	Avoid creating dust.
Response	Wash skin with soap and water.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None
Supplemental information Hazard statement	In its manufactured and shipped state, this product is considered non-hazardous. Processing may generate hazardous fumes and dusts. Welding, cutting and metalizing can generate ozone.
	Ozone can cause irritation of eyes, nose and

3. Composition/information on ingredients

Chemical name	CAS number	Percent (%)
Iron	7439-89-6	75-99
Chromium	7440-47-3	<14
Manganese	7439-96-5	<5
Nickel	7440-02-0	<4
Silicon	7440-21-3	<2.5
Copper	7440-50-8	<1.5
Carbon black	1333-86-4	<1.2
Antimony	7440-36-0	<0.5
Arsenic	7440-38-2	<0.5

respiratory tract.



Cobalt	7440-48-4	<0.5
Lead	7439-92-1	<0.5
Molybdenum	7439-98-7	<1.5
Tungsten	7440-33-7	<1.7

The product is an alloy. Other alloys and trace elements may be present, depending on the product, in quantities generally less than 0.5%. These elements may include Boron, Calcium, Niobium, Nitrogen, Phosphorus, Titanium, Vanadium, Sulfur, Aluminum (<1.2%), Tin, Zinc, Bismuth, Beryllium, Selenium.

Composition comments:	All concentrations are	in percent by weight	nt
-----------------------	------------------------	----------------------	----

4. First-aid measures	
Inhalation	In case of inhalation of fumes from heated product: Move into fresh air and keep at rest. Get medical attention if symptoms persist. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration.
Skin contact	Wash skin with soap and water. In case of burns with hot metal, rinse with plenty of cold water. If burns are severe, consult a physician. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention promptly if symptoms persist or occur after washing.
Ingestion	Solid steel: Not applicable. Dust: Get medical attention if any discomfort continues.
Most important symptoms/effects, acute and delayed	Exposed individuals may experience eye tearing, redness, and discomfort. High concentrations of freshly formed fumes/dusts of metal oxides can produce symptoms of metal fume fever. Typical symptoms last 12 to 48 hours and are characterized by metallic taste in the mouth, dryness, and irritation of the throat, followed by weakness, muscle pain, fever, and chills.

5. Fire-fighting measures

Suitable extinguishing media

No unusual fire or explosion hazards noted. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

None Known

Specific hazards arising from the chemical	At temperatures above the melting point, may liberate fumes of iron, nickel, and zinc oxide.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	Cold solid metal: No special precautions are necessary beyond normal good hygiene practices.
	See Section 8 of the SDS for additional personal protection advice when handling this product. Hot metal: Avoid contact with hot material. Wear protective clothing as described in Section 8 of this safety data sheet.
Methods and materials for containment and cleaning up	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Collect for recycling. Environmental precautions	No specific precautions.
7. Handling and storage	
Precautions for safe handling	Avoid contact with sharp edges and hot surfaces. Use appropriate gloves and tools to ensure safe handling. Use work methods which minimize dust/fume production. Do not breathe fumes and dusts. Follow the recommendations in ANSI Z49.1, Safety in welding and cutting (ANSI=American National Standard Institute).
Conditions for safe storage, including any incompatibilities	Store in a dry place. Store away from: Acids.

8. Exposure controls/personal protection

Occupational exposure limits US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical name	CAS number	OSHA PEL/ ACGIH TLV
Iron	7439-89-6	
Chromium	7440-47-3	1.0/0.5
Manganese	7439-96-5	5.0/0.1
	Page 3 of 9	

Page 3 of 9

Nickel Silicon Copper Carbon black Antimony Arsenic Cobalt Lead	7440-02-0 7440-21-3 7440-50-8 1333-86-4 7440-36-0 7440-38-2 7440-48-4 7439-92-1	1.0/1.5 5.0/10.0 1.0/1.0 3.5/3.0 0.5/0.5 0.01/0.01 0.01/0.02 0.05/0.05
Appropriate engineering controls	Adequate ventilation a exposure limits are no exhaust when welding grinding or machining fume exposure.	should be provided so that ot exceeded. Use local g, burning, sawing, brazing, g to prevent excessive dust or
Individual protection measures Eye/face protection	Risk of contact: Wear Use of safety glasses welding, burning, saw machining operations	r approved safety goggles. s or goggles is required for ving, brazing, grinding or s.
Hand protection	Wear protective glo Wear suitable prote	oves. Risk of contact: active clothing.
Respiratory protection	Use a NIOSH/MSH there is a risk of ex levels exceeding th	A approved respirator if posure to dust/fume at exposure limits.
Thermal hazards	When material is he protect against ther protective apron an recommended whe significant.	eated, wear gloves to rmal burns. Thermally Id long sleeves are In volume of hot material is
General hygiene considerations	Always observe go measures, such as the material and be and/or smoking. Re clothing and protec contaminants. Obse surveillance require	od personal hygiene washing after handling fore eating, drinking, outinely wash work tive equipment to remove erve any medical ements.

9. Physical and chemical properties

Appearance	Massive, solid metal.
Physical state	Solid.
Form	Solid.
Color	Metallic gray.
Odor	None.
Odor threshold	Not applicable.

рН	Not applicable.
Melting point	2750 °F (1510 °C)
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - upper (%)	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not applicable.
Solubility(ies)	Insoluble
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not applicable.
Other information	Not applicable.
Solubility (other)	Not applicable.
10. Stability and reactivity	
Reactivity	Stable at normal conditions.
Chemical stability	This product is stable under expected
Chonnour stability	conditions of use.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Contact with incompatible materials. Contact with acids will release flammable hydrogen gas.
Incompatible materials	Strong acids. Oxidizing agents.
Hazardous decomposition products	At temperatures above the melting point, may liberate fumes containing oxides of Iron and alloying elements.

11. Toxicological information

	Information on likely routes of exposure
Ingestion	Solid steel: Not relevant, due to the form of the product. However, ingestion of dusts generated during working operations may cause nausea and vomiting.
Inhalation	No inhalation hazard under normal conditions. Welding, burning, sawing, brazing, grinding or machining operations may generate fumes and dusts of metal oxides.
Skin contact	Under normal conditions of intended use, this material does not pose a risk to health. Dust may irritate skin. Contact with hot material can cause thermal burns which may result in permanent damage.

Eye contact	Under normal conditions of intended use, this material does not pose a risk to health. Contact with hot material can cause thermal burns which may result in permanent damage. Grinding and sanding this product may generate dust. Dust may irritate the eyes.
Symptoms related to the physical, chemical and toxicological characteristics	Exposed individuals may experience eye tearing, redness, and discomfort. High concentrations of freshly formed fumes/dusts of metal oxides can produce symptoms of metal fume fever. Typical symptoms last 12 to 48 hours and are characterized by metallic taste in the mouth, dryness, and irritation of the throat, followed by weakness, muscle pain, fever, and chills.
Information on toxico	ological effects
Acute toxicity Components	Processing may generate hazardous fumes and dusts. Welding, cutting and metalizing can generate ozone. Ozone can cause irritation of eyes, nose and respiratory tract.
Skin corrosion/irritation	Dust may irritate skin.
Serious eye damage/eye irritation	Dust may irritate the eyes.
Respiratory sensitization	Not relevant, due to the form of the product. Contains nickel: May cause allergy or asthma symptoms or breathing difficulties if inhaled. This ingredient is bound within the product and release is not expected under normal condition.
Skin sensitization	Contains nickel: May cause an allergic skin reaction.
Germ cell mutagenicity	Not relevant, due to the form of the product.
Carcinogenicity	Not relevant, due to the form of the product. Inhalation of carbon black dust may cause cancer, however due to the physical form of the product inhalation of dust is not relevant. Nickel and Nickel Compounds, Lead and Lead Compound, and certain Chromium Compounds (e.g., hexavalent chromium) are considered known or possible carcinogens. This ingredient is bound within the product and release is not expected under normal condition.

Carbon black (CAS 1333-86-4) Chromium (CAS 7440-47-3) Cobalt (CAS 7440-48-4) Lead (CAS 7439-92-1) Nickel (CAS 7440-02-0)	2B Possibly carcinogenic to humans.3 Not classifiable as to carcinogenicity to humans.2B Possibly carcinogenic to humans.2B Possibly carcinogenic to humans.2B Possibly carcinogenic to humans.
US. OSHA Specifically Regulated Subs Arsenic (CAS 7440-38-2)	s <i>tances (29 CFR 1910.1001-1050)</i> Cancer
Reproductive toxicity	Not relevant, due to the form of the product.
Specific target organ toxicity - single exposure	No data available.
Specific target organ toxicity - repeated exposure	Not relevant, due to the form of the product. Contains Maganese: Causes damage to organs (lung) through prolonged or repeated exposure by inhalation. This ingredient is bound within the product and release is not expected under normal condition.
Aspiration hazard	Due to the physical form of the product it is not an aspiration hazard.
Chronic effects	Chronic inhalation of high concentrations of iron oxide fumes or dust may lead to benign pneumoconiosis (siderosis). Repeated overexposure to lead, arsenic, and nickel can increase the risk of developing cancer. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases. Exposure to manganese fume/dust can affect the central nervous system (apathy, drowsiness, weakness and other chronic symptoms such as postural tremors). The ingredients of the alloy are bound within the product and release is not expected under normal conditions.

12. Ecological information		
Ecotoxicity	The environmental hazard of the product is considered to be limited.	
Persistence and degradability	No data available.	
Bioaccumulative potential	No data available on bioaccumulation.	
Mobility in soil	Not relevant, due to the form of the product.	
Other adverse effects	None known.	
Components		
Arsenic (CAS 7440-38-2) Aquatic	9.9 mg/l, 96 hours	

Fish Iron (CAS 7439-89-6) Aquatic	LC50	Fathead minnow (Pimephales promelas)
Fish Nickel (CAS 7/10-02-0)	LC50	Channel catfish (Ictalurus punctatus)
Aquatic Fish	LC50	2.916 mg/l, 96 hours Fathead minnow (Pimephales promelas)
13. Disposal considerations		
Disposal instructions	Dispose waste and residues in accordance with applicable federal, state, and local regulations.	
Hazardous waste code	Not regulated.	
Waste from residues / unused products	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Recover and recycle, if practical.	
Contaminated packaging	Emptied container residue, follow lab	rs may retain product el warnings
14. Transport information		
DOT	Not regulated as a	a hazardous material by DOT.
ΙΑΤΑ	Not regulated as a	a dangerous good.
IMDG	Not regulated as a	a dangerous good.
15. Regulatory information		
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.		
Superfund Amendments and Reauthorization Act of 1986 (SARA) F Immediate Hazard - No Delayed Hazard - Yes	lazard categories	

Delayed Hazard - Yes Reactivity Hazard - No Pressure Hazard - No Fire Hazard - No

SARA 302 Extremely hazardous substance	NO
SARA 311/312 Hazardous chemical	Only if fume or dust emitted or released from a manufactured solid that is being modified
SARA 313 (TRI reporting)	YES - for toxic components
Toxic Substances Control Act (TSCA) Inventory	YES - for toxic components

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Manufacturer Website: www. MSTube.com

Prepared: Jan 2015

NFPA Ratings & Symbol:



THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES. ALTHOUGH BASED ON INFORMATION SOURCES WHICH MST CONSIDERS ACCURATE AND RELIABLE, MST MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.